

## Mazes on Uniform Polyhedra



## Introduction


Let as take an example. We are given a uniform polyhedron.







In Mathematica the polyhedron is given by a list of faces and with a list of koordinates of vertices [Roman E. Maeder, The Mathematica Programmer II, Academic Press1996]. The list of faces consists of a list of lists, where a face is represented by a list of vertices, which is given by a matrix. Let us show the first five faces:

The nest two figures represent faces and vertices. The polyhedron is projected onto supescribed sphere and the sphere is projected by a cartographic projection.






The problem is to find the path from the black dot to gray dot, where thick lines represent walls of a maze.




The solution is given by a list of faces passed from the black to gray dot.




## Problems


tetrahedron  ${3,3,3}$ 




{3, 3, 3, 3} octahedron




cube {4, 4, 4}




icosahedron  ${3, 3, 3, 3, 3}$ 




dodecahedron {5, 5, 5}




truncated tetrahedron  $\{6, 6, 3\}$ 




 $cuboctahedron \\ \{3,4,3,4\}$ 




truncated octahedron {6, 6, 4}




truncated cube  $\{8, 8, 3\}$ 






truncated cuboctahedron


{4, 6, 8}




snub cube  ${3, 3, 3, 3, 4}$ 




icosidodecahedron  $\{3, 5, 3, 5\}$ 



truncated icosahedron  $\{6, 6, 5\}$ 




truncated dodecahedron




rhombicosidodecahedron

{4, 3, 4, 5}




truncated icosidodecahedron


{4, 6, 10}



snub dodecahedron  $\{3, 3, 3, 3, 5\}$ 




pentagonal prism  $\{4, 4, 5\}$ 




pentagonal antiprism

 ${3, 3, 3, 5}$ 




small stellated dodecahedron

$$\left\{\frac{5}{2}, \frac{5}{2}, \frac{5}{2}, \frac{5}{2}, \frac{5}{2}\right\}$$




great dodecahedron

 $\frac{1}{2}$  {5, 5, 5, 5, 5}




great stellated dodecahedron

$$\left\{\frac{5}{2}, \frac{5}{2}, \frac{5}{2}\right\}$$




great icosahedron

 $\frac{1}{2}$  {3, 3, 3, 3, 3}




dodecadodecahedron

$$\left\{\frac{5}{2}, 5, \frac{5}{2}, 5\right\}$$




## Solutions


tetrahedron  $\{3, 3, 3\}$ 




octahedron  $\{3, 3, 3, 3\}$ 




cube {4, 4, 4}




{3, 3, 3, 3, 3} icosahedron




dodecahedron {5, 5, 5}




truncated tetrahedron  $\{6, 6, 3\}$ 




 $cuboctahedron \\ \{3,4,3,4\}$ 



truncated octahedron  $\{6, 6, 4\}$ 




truncated cube  $\{8, 8, 3\}$ 




rhombicuboctahedron


 $\{4, 3, 4, 4\}$ 




{4, 6, 8} truncated cuboctahedron



snub cube  ${3, 3, 3, 3, 4}$ 




icosidodecahedron  $\{3, 5, 3, 5\}$ 




truncated icosahedron

 $\{6, 6, 5\}$ 




truncated dodecahedron

{10, 10, 3}




rhombicosidodecahedron






truncated icosidodecahedron


{4, 6, 10}



snub dodecahedron  $\{3, 3, 3, 3, 5\}$ 




pentagonal prism  $\{4, 4, 5\}$ 




pentagonal antiprism

 ${3, 3, 3, 5}$ 




small stellated dodecahedron

$$\left\{\frac{5}{2}, \frac{5}{2}, \frac{5}{2}, \frac{5}{2}, \frac{5}{2}\right\}$$




great dodecahedron

 $\frac{1}{2}$  {5, 5, 5, 5, 5}




great stellated dodecahedron

$$\left\{\frac{5}{2}, \frac{5}{2}, \frac{5}{2}\right\}$$



great icosahedron

 $\frac{1}{2}$  {3, 3, 3, 3, 3}



dodecadodecahedron

 $\left\{\frac{5}{2}, 5, \frac{5}{2}, 5\right\}$ 

